







## Pendant Mounting Accessories

	<b>Catalog #</b> T96WH T96BL T96SL <b>NEW</b>	<b>Finish</b> White Black Silver	<b>Description</b> <ul style="list-style-type: none"> <li>Joins pendant stems for use in higher ceiling applications</li> </ul>		<b>Pendant Stem Coupling</b>
	<b>Catalog #</b> T94WH T94BL T94SL <b>NEW</b>	<b>Finish</b> White Black Silver	<b>Description</b> <ul style="list-style-type: none"> <li>Allows T90 or T91 pendant to hang straight down from sloped ceilings</li> <li>Can be used to feed electrical to trac at up to 60° angle</li> </ul>		<b>Pendant Slope Ceiling Adapter</b>
<b>Dimensions</b>  10 1/8"	<b>Catalog #</b> T93WH T93BL T93SL <b>NEW</b>	<b>Finish</b> White Black Silver	<b>Description</b> <ul style="list-style-type: none"> <li>For use with pendant stem kits T90 and T91</li> <li>Conceals electrical feed wires from stem to connector</li> <li>One cover should be used for each trac feed</li> </ul>		<b>Feed Wireway Cover</b>
	<b>Catalog #</b> T92		<b>Description</b> <ul style="list-style-type: none"> <li>For use with T24 connector when used straight</li> <li>Permits mounting pendant stem kits (T90, T91) at center of trac connector</li> </ul>		<b>Straight Structural Bridge</b>
	<b>Catalog #</b> T92L-WH T92L-BL T92L-SL <b>NEW</b>	<b>Finish</b> White Black Silver	<b>Description</b> <ul style="list-style-type: none"> <li>For use with T24 connector when used at 90°</li> <li>Permits mounting pendant stem kits (T90, T91) at center of trac connector</li> </ul>		<b>Corner Structural Bridge</b>
<b>Dimensions</b>  46 1/2"	<b>Catalog #</b> T39		<b>Description</b> <ul style="list-style-type: none"> <li>4' long black thermoplastic extrusion, covers wire carried in trac wireway</li> <li>Use one for 4' trac, two for 8' and three for 12' trac</li> <li>Can be field cut</li> </ul>		<b>Trac Wireway Cover</b>

## Miscellaneous Mounting Accessories

	<b>Catalog #</b> T56WH T56BL T56SL <b>NEW</b>	<b>Finish</b> White Black Silver	<b>Description</b> <ul style="list-style-type: none"> <li>Attaches solid 5/16" threaded rod to one or two-circuit trac</li> <li>Includes plastic cap, mounting bracket and hardware; rod not supplied</li> </ul>		<b>Solid Rod Pendant Mounting Kit</b>
	<b>Catalog #</b> T37F T37D T37F-9-16 <b>NEW</b> T37TD-9-16 <b>NEW</b>		<b>Description</b> <ul style="list-style-type: none"> <li>To attach trac to inverted tee ceiling</li> <li>Use two for 2' or 4' trac and three for 6', 8' or 12' trac</li> <li>T37F is compatible with 15/16" grid with flush tiles</li> <li>T37D is compatible with 15/16" grid with drop tiles</li> <li>T37F-9-16 is compatible with 9/16" grid with flush tiles</li> <li>T37D-9-16 is compatible with 9/16" grid with drop tiles</li> </ul>		<b>T-Bar Attachment Clip</b>

### Pendant Mounting Accessories


Dimensions	Catalog #	Finish	Description
	T90-12-WH	White	<ul style="list-style-type: none"> <li>• 12", 18", 24", 36", 48"</li> <li>• Use two for 2', 4' or 6' of trac or three for 8' and four for 12' of trac</li> <li>• For electrical feed, order T93 Wireway Cover and TU38 End Feed</li> </ul>
	T90-12-BL	Black	
	T90-12-SL <b>NEW</b>	Silver	
	T90-18-WH	White	
	T90-18-BL	Black	
	T90-18-SL <b>NEW</b>	Silver	
	T90-24-WH	White	
	T90-24-BL	Black	
	T90-24-SL <b>NEW</b>	Silver	
	T90-36-WH	White	
	T90-36-BL	Black	
	T90-36-SL <b>NEW</b>	Silver	
T90-48-WH	White		
T90-48-BL	Black		
T90-48-SL <b>NEW</b>	Silver		



Dimensions	Catalog #	Finish	Description
	T91-12-WH	White	<ul style="list-style-type: none"> <li>• 12", 18", 24", 36", 48"</li> <li>• Attaches directly to junction box</li> <li>• Use two for 2', 4' or 6' of trac or three for 8' and four for 12' of trac</li> <li>• For electrical feed, order T93 Wireway Cover and TU38 End Feed</li> </ul>
	T91-12-BL	Black	
	T91-12-SL <b>NEW</b>	Silver	
	T91-18-WH	White	
	T91-18-BL	Black	
	T91-18-SL <b>NEW</b>	Silver	
	T91-24-WH	White	
	T91-24-BL	Black	
	T91-24-SL <b>NEW</b>	Silver	
	T91-36-WH	White	
	T91-36-BL	Black	
	T91-36-SL <b>NEW</b>	Silver	
T91-48-WH	White		
T91-48-BL	Black		
T91-48-SL <b>NEW</b>	Silver		



	Catalog #	Finish	Description
	T96WH	White	<ul style="list-style-type: none"> <li>• Joins pendant stems for use in higher ceiling applications</li> </ul>
	T96BL	Black	
	T96SL <b>NEW</b>	Silver	



	Catalog #	Finish	Description
	T94WH	White	<ul style="list-style-type: none"> <li>• Allows T90 or T91 pendant to hang straight down from sloped ceilings</li> <li>• Can be used to feed electrical to trac at up to a 60° angle</li> </ul>
	T94BL	Black	
	T94SL <b>NEW</b>	Silver	



Dimensions	Catalog #	Finish	Description
	T93WH	White	<ul style="list-style-type: none"> <li>• For pendant stem kits T90 and T91</li> <li>• Conceals electrical feed wires from stem to trac connector</li> <li>• One cover should be used for each trac feed</li> </ul>
	T93BL	Black	
	T93SL <b>NEW</b>	Silver	



Trac-Master<sup>®</sup>



JUNO LIGHTING GROUP  
by Schneider Electric

### Mounting Accessories

Pendant Stem kits enable the trac to be mounted at ideal heights, without having to lower the entire ceiling plane. Stems can be specified in a variety of different lengths and can be mounted for higher ceiling applications.

Dimensions	Catalog #	Finish	Description
	T90-12-WH	White	<ul style="list-style-type: none"> <li>Use two for 2', 4', or 6' Trac, or three for 8' Trac</li> <li>For electrical feed, order Wireway Cover T93</li> <li>Pendant Stems should not be used to support Trac-Lites Series Trac when used in conjunction with Trac-Master TBX Series Biax trac fixtures</li> </ul>
	T90-12-BL	Black	
	T90-12-SL	Silver	
	T90-18-WH	White	
	T90-18-BL	Black	
	T90-18-SL	Silver	
	T90-24-WH	White	
	T90-24-BL	Black	
	T90-24-SL	Silver	
	T90-36-WH	White	
	T90-36-BL	Black	
	T90-36-SL	Silver	
	T90-48-WH	White	
	T90-48-BL	Black	
T90-48-SL	Silver		



T-Bar Pendant Stem Kit

Dimensions	Catalog #	Finish	Description
	T91-12-WH	White	<ul style="list-style-type: none"> <li>Use two for 2', 4', or 6' Trac, or three for 8' Trac</li> <li>For electrical feed, order Wireway Cover T93</li> <li>Pendant Stems should not be used to support Trac-Lites Series Trac when used in conjunction with Trac-Master TBX Series Biax trac fixtures</li> </ul>
	T91-12-BL	Black	
	T91-12-SL	Silver	
	T91-18-WH	White	
	T91-18-BL	Black	
	T91-18-SL	Silver	
	T91-24-WH	White	
	T91-24-BL	Black	
	T91-24-SL	Silver	
	T91-36-WH	White	
	T91-36-BL	Black	
	T91-36-SL	Silver	
	T91-48-WH	White	
	T91-48-BL	Black	
T91-48-SL	Silver		



Rigid Ceiling Pendant Stem Kit

	Catalog #	Finish	Description
	T96WH	White	<ul style="list-style-type: none"> <li>Enables multiple pendant stems to be joined for higher ceiling applications</li> </ul>
	T96BL	Black	
	T96SL	Silver	



Pendant Stem Threaded Coupling

	Catalog #	Finish	Description
	T94WH	White	<ul style="list-style-type: none"> <li>Permits pendant Trac stem to be hung vertically from sloped ceiling</li> <li>Use pendant kits (T90, T91)</li> <li>Will allow feeding of electrical wires to Trac at up to a 60° angle</li> </ul>
	T94BL	Black	
	T94SL	Silver	



Pendant Slope Ceiling Adapter

Dimensions	Catalog #	Finish	Description
	T93WH	White	<ul style="list-style-type: none"> <li>Use one for each T90 or T91 when using stem for feeding Trac</li> <li>Feed at R38 or R24</li> <li>Conceals electrical feed wires from stem to Trac</li> </ul>
	T93BL	Black	
	T93SL	Silver	



Feed Wireway Cover

Trac-Lites™