

HU11 Series


HU1109D9SP - 9-inch LED Undercab, Selectable CCT, White
HU1118D9SP - 18-inch LED Undercab, Selectable CCT, White
HU1124D9SP - 24-inch LED Undercab, Selectable CCT, White
HU1136D9SP - 36-inch LED Undercab, Selectable CCT, White
HU1148D9SP - 48-inch LED Undercab, Selectable CCT, White

HU1109D9SMB - 9-inch LED Undercab, Selectable CCT, Black
HU1118D9SMB - 18-inch LED Undercab, Selectable CCT, Black
HU1124D9SMB - 24-inch LED Undercab, Selectable CCT, Black
HU1136D9SMB - 36-inch LED Undercab, Selectable CCT, Black
HU1148D9SMB - 48-inch LED Undercab, Selectable CCT, Black

Phase Control Dimming



Eaton dimmers offer versatile options to set the mood and reduce energy consumption. Visit www.eaton.com for more information.



Dimmer Features	DEVINE (DAL06P)	SKYE (SAL06P)	TRACE (TAL06P)
Rapid Start feature*	Fully adjustable	Fixed ON	Fully adjustable
Adjustable high-end trim			
Adjustable low-end trim	•	•	•
Wiring configurations	Single-pole or 3-way	Single-pole or 3-way	Single-pole or 3-way
Color change kits	•		•

HALO HOME™




HALO Home In-wall Smart Dimmer

HIWMA1BLE40AWH

Controls standard lighting fixtures with dimmer or HALO Home mobile app.

- Features include:
- ON/OFF
 - Dim
 - Group
 - Scene
 - Schedule



***Note:** The Rapid Start feature is used to ensure the right amount of power boost during start-up. When a dimmer with Rapid Start is turned on from a low dimmer setting, the LED lighting may exhibit a momentary flash. Designated dimmer models offer an adjustment of the Rapid Start feature. The user may wish to adjust this setting to reduce the boost and resulting momentary flash. If this capability is desired, the user should select dimmer models noted as "fully adjustable" or "selectable ON or OFF".

HU11 9-inch

Compatible Dimmers

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Eaton	AL Series	AAL06P	1	53	5%	99%	<1s
Eaton	AL Series	DAL06P	1	53	5%	99%	<1s
Eaton	AL Series	SAL06P	1	53	5%	99%	<1s
Eaton	Skye	SLC03P	1	53	5%	98%	<1s
Eaton	Devine	DLC03P	1	53	5%	98%	<1s
Leviton	Decora	6673	1	106	2%	98%	<1s
Leviton	Illuminatech	IPL06	1	26	5%	98%	<1s
Leviton	Illuminatech	IPE04	1	53	5%	100%	<1s
Leviton	Vizia	VZE04	1	71	1%	99%	<1s
Lutron	Toggler	TGCL-153P	1	26	5%	98%	<1s
Lutron	Skylark	SCL-153P-WH	1	26	5%	98%	<1s
Lutron	Diva	DVCL-153P	1	26	5%	98%	<1s

HU11 18-inch

Compatible Dimmers

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Eaton	AL Series	AAL06P	1	30	0%	92%	N.A.
Eaton	AL Series	DAL06P	1	30	7%	93%	<1s
Eaton	AL Series	SAL06P	1	30	2%	93%	<1s
Eaton	Skye	SLC03P	1	30	2%	90%	<1s
Eaton	Devine	DLC03P	1	30	15%	91%	<1s
Leviton	Decora	6673	1	60	19%	95%	<1s
Leviton	Illuminatech	IPL06	1	15	1%	94%	<1s
Leviton	Illuminatech	IPE04	1	30	3%	97%	<1s
Leviton	Vizia	VZE04	1	40	2%	95%	<1s
Lutron	Toggler	TGCL-153P	1	15	4%	92%	<1s
Lutron	Skylark	SCL-153P-WH	1	15	4%	90%	<1s
Lutron	Diva	DVCL-153P	1	15	4%	91%	<1s

HU11 24-inch

Compatible Dimmers

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Eaton	AL Series	AAL06P	1	21	1%	97%	<1s
Eaton	AL Series	DAL06P	1	21	10%	98%	<1s
Eaton	AL Series	SAL06P	1	21	2%	98%	<1s
Eaton	Skye	SLC03P	1	21	3%	97%	<1s
Eaton	Devine	DLC03P	1	21	18%	97%	<1s
Leviton	Decora	6673	1	60	19%	95%	<1s
Leviton	Illuminatech	IPL06	1	10	1%	96%	<1s
Leviton	Illuminatech	IPE04	1	21	2%	99%	<1s
Leviton	Vizia	VZE04	1	29	2%	99%	<1s
Lutron	Toggler	TGCL-153P	1	10	10%	95%	<1s
Lutron	Skylark	SCL-153P-WH	1	10	8%	95%	<1s
Lutron	Diva	DVCL-153P	1	10	4%	95%	N.A. ¹

HU11 36-inch

Compatible Dimmers

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Eaton	AL Series	AAL06P	1	15	2%	96%	<1s
Eaton	AL Series	DAL06P	1	15	4%	94%	<1s
Eaton	AL Series	SAL06P	1	15	4%	93%	<1s
Eaton	Skye	SLC03P	1	15	4%	93%	<1s
Eaton	Devine	DLC03P	1	15	4%	94%	<1s
Leviton	Decora	6673	1	30	6%	97%	<1s
Leviton	Illumatech	IPL06	1	7	8%	98%	<1s
Leviton	Illumatech	IPE04	1	15	3%	98%	<1s
Leviton	Vizia	VZE04	1	20	5%	96%	<1s
Lutron	Toggler	TGCL-153P	1	7	5%	95%	<1s
Lutron	Skylark	SCL-153P-WH	1	7	20%	96%	<1s
Lutron	Diva	DVCL-153P	1	7	17%	95%	<1s

HU11 48-inch

Compatible Dimmers

Dimmer Make	Dimmer Series	Dimmer Model #	Minimum Luminaires (per circuit)	Maximum Recommended Luminaires (per circuit)	Min Dimming percentage (%)	Max Dimming percentage (%)	Low End Start Time
Eaton	AL Series	AAL06P	1	11	2%	99%	<1s
Eaton	AL Series	DAL06P	1	11	3%	95%	<1s
Eaton	AL Series	SAL06P	1	11	1%	95%	<1s
Eaton	Skye	SLC03P	1	11	10%	94%	<1s
Eaton	Devine	DLC03P	1	11	3%	94%	<1s
Leviton	Decora	6673	1	22	4%	99%	<1s
Leviton	Illumatech	IPL06	1	5	7%	99%	<1s
Leviton	Illumatech	IPE04	1	11	0%	99%	<1s
Leviton	Vizia	VZE04	1	15	3%	98%	<1s
Lutron	Toggler	TGCL-153P	1	7	5%	95%	<1s
Lutron	Skylark	SCL-153P-WH	1	5	5%	98%	<1s
Lutron	Diva	DVCL-153P	1	5	4%	99%	<1s

Cooper Lighting Solutions
 1121 Highway 74 South
 Peachtree City, GA 30269
 P: 770-486-4800
www.halolighting.com

Canada Sales
 5925 McLaughlin Road
 Mississauga, Ontario L5R 1B8
 P: 905-501-3000
 F: 905-501-3172

© 2020 Cooper Lighting Solutions
 All Rights Reserved
 Printed in USA
 Publication No. PA518172EN
 February 24, 2020 2:19 PM

Cooper Lighting Solutions is a registered trademark.

All other trademarks are property of their respective owners.

Product availability, specifications, and compliances are subject to change without notice.

