


# Basics Retrofit LED Downlights Rebate Incentives

## Select a State/Territory:

Alabama*	Nebraska
Alaska*	Nevada
Arizona	New Hampshire
Arkansas	New Jersey
California	New Mexico
Colorado	New York
Connecticut	North Carolina
Delaware*	North Dakota
Florida	Ohio
Georgia	Oklahoma
Hawaii	Oregon
Idaho	Pennsylvania
Illinois	Rhode Island
Indiana	South Carolina
Iowa	South Dakota*
Kansas*	Tennessee*
Kentucky	Texas
Louisiana	Utah
Maine	Vermont
Maryland	Virginia
Massachusetts	Washington
Michigan	Washington, D.C.
Minnesota	West Virginia
Mississippi*	Wisconsin
Missouri	Wyoming
Montana	Canada: British Columbia
	Nova Scotia
	Ontario
	Quebec

\* Utility Rebate **not included** at this time.

August 1, 2014



[Download Brochure](#)

### REBATE GUIDELINES

The rebate information provided applies to all 4RLD, 5RLD, and 6RLD downlight retrofit kits unless explicitly stated otherwise.

This rebate list covers major rebate programs in North America. Please contact your utility for potential lighting rebate programs if your utility is not listed here.

### DISCLAIMER

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction.

It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



JUNO LIGHTING GROUP  
by Schneider Electric



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Arizona

### Arizona Public Service

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.09 per Kilowatt-Hr Reduced	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Salt River Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.35 per Watt Reduced	Application Required	4/30/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### TEP

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.10 per Kilowatt-Hr Reduced	Application Required	11/15/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Arkansas

### AEP SWPCO

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$20.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Small businesses that consume <50kW of on peak demand should contact utility for greater potential rebates.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## California

### PG&E

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$20.00 per Fixture	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Riverside PUD

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.06 per Kilowatt-Hr Reduced	Application Required	6/30/2015	<a href="#">Visit Website</a>	<a href="#">Link to application is on website</a>

### SDGE

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Colorado

### Colorado Springs Utilities

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
See Note Below	Application Required	11/30/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

See Lighting Data Worksheet on website for rebate amount calculations.

### Fort Collins L&P (PRPA)

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.75 per Watt Reduced	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### XCEL Energy

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2017	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Connecticut

### Connecticut Light & Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

## United Illuminating

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Florida

### JEA

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.05 per Kilowatt-Hr Reduced	Application Required	10/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### OUC

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.15 per Watt Reduced	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Progress

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.05 per Watt Reduced	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">No application, need to call for an energy audit</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Georgia

### Georgia Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.20 per Watt Reduced	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Small businesses that consume <30kWhr per month should contact utility for greater potential rebates.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.





# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Hawaii

### HECO

Rebate Amount  
\$.125 per Kilowatt-Hr  
Reduced

Rebate Type  
Application Required

Program End Date  
6/30/2015

Rebate Detail  
[Visit Website](#)

Rebate Application  
[Download Application](#)

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Idaho

### Rocky Mountain Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Contact Utility to Apply</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Illinois

### Ameren IL

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.35 per Watt Reduced	Application Required	05/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### ComEd

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$13.00 per Fixture	Instant Rebate	Not Specified	<a href="#">Visit Website</a>	<a href="#">Contact Utility for Application</a>

Check website to find participating retailer or distributor. 5RLD and 6RLD only qualify at this time.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Indiana

### IP&L

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">See lighting rebates application on website</a>

Must replace 60-100W incandescent downlight.

### NIPSCO

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.09 per Kilowatt-Hr Reduced	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">See application at bottom of website</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Iowa

### Alliant

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$30.00 per Fixture	Application Required	1/01/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Kentucky

### Kentucky Uts

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$5.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Louisville G&E

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$5.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Louisiana

### Entergy

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$ .10 per Kilowatt-Hr Reduced	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Contact Utility for Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Maine

### Central Maine Power Co.

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	6/30/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.





# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Maryland

### Baltimore Gas & Electric

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$60.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Potomac Edison

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$60.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Potomac Edison

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Massachusetts

### NSTAR

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Instant Rebate	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Contact Utility for Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Michigan

### Consumers Energy

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.40 per Watt Reduced	Application Required	11/30/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### DTE

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	11/01/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Holland BPW

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$20.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Michigan, cont.

### Lansing BWL

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	11/30/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace 50-79W incandescent downlight.

### Lansing BWL

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$20.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Minnesota

### Minnesota Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Minnesota Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.20 per Watt Reduced	Application Required	11/15/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### XCEL Energy

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2017	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Missouri

### Ameren MO

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.06 per Kilowatt-Hr Reduced	Application Required	11/30/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Montana

### Bonneville Power Administration

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$5.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">See Lighting Calculator v3.2 on website to apply</a>

### Flathead Electric Cooperative

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Nebraska

### Lincoln EI Syst

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.50 per Watt Reduced	Application Required	12/5/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must use approved installation provider.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.





Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Nevada

### NV Energy

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.10 per On-Peak Kilowatt-Hr	Application Required	11/15/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## New Hampshire

### PSC of New Hampshire

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## New Jersey

### Atlantic City Electric

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
See Note Below	Application Required	6/30/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

See Custom Measures Application for custom savings.

### PSEG

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
See Note Below	Application Required	6/30/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

See Custom Measures Application for custom savings.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## New Mexico

### PNM

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$20.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace incandescent fixture greater than 40W.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## New York

### NatGrid

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$30.00 per Fixture	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### NYSEG

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$50.00 per Fixture	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Pseg Long Island

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$40.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace incandescent fixture. Rebate is limited to 70% of the total measure cost.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## New York, cont.

### Rochester G&E

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$50.00 per Fixture	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## North Carolina

### Duke

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace 60-100W incandescent downlight.

### Progress Energy Carolinas (PEC)

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.35 per Watt Reduced	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## North Dakota

### Cavalier Municipal Utilities

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace fixture 60 watts or larger.

### City of Northwood Utilities

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace fixture 60 watts or larger.

### Hillsboro Municipal Utilities

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace fixture 60 watts or larger.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.





# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## North Dakota, cont.

### Lakota Municipal Utilities

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace fixture 60 watts or larger.

### Valley City Public Works

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace fixture 60 watts or larger.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Ohio

### AEP Ohio Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.30 per Watt Reduced	Application Required	11/15/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Columbus Muni

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Ohio Edison

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.05 per Kilowatt-Hr Reduced	Application Required	3/31/2015	<a href="#">Visit Website</a>	<a href="#">Account required to access application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Ohio, cont.

### Duke

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace 60-100W Incandescent downlight

### The Illuminating Company

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.05 per Kilowatt-Hr Reduced	Application Required	3/31/2015	<a href="#">Visit Website</a>	<a href="#">Account required to access application</a>

### Toledo Edison

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.05 per Kilowatt-Hr Reduced	Application Required	3/31/2015	<a href="#">Visit Website</a>	<a href="#">Account required to access application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Oklahoma

### Oklahoma G&E

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.18 per Watt Reduced	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Oregon

### PacifiCorp

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$30.00 per Fixture	Application Required	12/15/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### PGE

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$30.00 per Fixture	Application Required	12/15/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Salem El Coop

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	9/30/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Pennsylvania

### PECO

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.30 per Watt Reduced	Application Required	5/31/2016	<a href="#">Visit Website</a>	<a href="#">For all applications, see right hand side of this webpage</a>

### PPL

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.10 per Kilowatt-Hr Reduced	Application Required	5/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Rhode Island

### NatGrid

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Instant Rebate	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## South Carolina

### Duke

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace 60-100W incandescent downlight.

### Santee Cooper

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.25 per Watt Reduced	Application Required	11/30/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### SCE&G

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$40.00 per Fixture	Application Required	11/13/2020	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.





Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Texas

### CenterPoint

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.08 per Kilowatt-Hr Reduced	Application Required	12/1/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Rebate cannot exceed 80% of the final installed cost of the project. Must use approved installation provider.

### CPS Energy

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
See Notes	Application Required	1/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Use Commercial Lighting Rebate Worksheet for projected rebate. Rebate cannot exceed 60% of the cost (material, labor and disposal costs).

### Oncor Electric

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.80 per Watt Reduced	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Rebate cannot exceed 90% of the total cost. Must use approved installation provider.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Texas, cont.

### EL Paso EI

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.24 per Watt Reduced	Application Required	11/30/2014	<a href="#">Visit Website</a>	<a href="#">Contact Utility for Application</a>

Small businesses should contact utility for greater potential rebates.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Utah

### PacifiCorp (Rocky Mountain Power)

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Vermont

### Barton Village Inc.

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Burlington Electrical Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Lyndonville Electric Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Vermont, cont (2)

### Village of Johnsonville

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Village of Orleans

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Washington Electric Coop

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Vermont, cont (3)

### Vermont Electric Coop

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Village of Hyde Park

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Village of Jacksonville

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Vermont, cont (4)

### Morrisville Water and Light Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Swanton Electric Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Town of Northfield

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Vermont, cont (5)

### Green Mountain Power Corporation

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Hardwick Electrical Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Ludlow Electric Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.





# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Vermont, cont (6)

### Central Vermont Public service

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Enosburg Falls Water and Light Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### Stowe Electric Department

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$35.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Virginia

### Dominion Virginia Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Washington

### Avista Corp.

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$30.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### PSE

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$25.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### PUD No 1 of Benton County

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
See Notes	Application Required	12/31/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Variable rebate amount. Contact utility for estimated rebate.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Washington, cont.

### Seattle City Light

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$0.23 per Kilowatt-Hr Reduced	Application Required	9/1/2019	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Washington, DC

PEPCO

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$60.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## West Virginia

### AEP Appalachian Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI


6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Wisconsin

### Madison G&E

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace 60-100W incandescent downlight.

### WE Energies

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace 60-100W incandescent downlight.

### WI PSC

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$15.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

Must replace 60-100W incandescent downlight.

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Wyoming

### Rocky Mountain Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	6/30/2015	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.





Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## British Columbia

### Fortis BC

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$20.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights

## Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Nova Scotia

### NS Power

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$10.00 per Fixture	Application Required	Not Specified	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



Saves up to **85%** in energy costs when compared to 65W incandescent light source.



# Basics Retrofit LED Downlights Rebate Incentives

4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Ontario

### ENWIN

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$23.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

### ENWIN

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
\$19.00 per Fixture	Application Required	12/31/2014	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.



# Basics Retrofit LED Downlights Rebate Incentives

Saves up to **85%**  
in energy costs  
when compared to 65W  
incandescent light source.



4"



Catalog #	Description
4RLD-927-6-WWH	4" LED retrofit baffle trim, 2700K, 90 CRI
4RLD-930-6-WWH	4" LED retrofit baffle trim, 3000K, 90 CRI

5"



Catalog #	Description
5RLD-927-6-WWH	5" LED retrofit baffle trim, 2700K, 90 CRI
5RLD-930-6-WWH	5" LED retrofit baffle trim, 3000K, 90 CRI

6"



Catalog #	Description
6RLD-927-6-WWH	6" LED retrofit baffle trim, 2700K, 90 CRI
6RLD-930-6-WWH	6" LED retrofit baffle trim, 3000K, 90 CRI

### Features:

- Delivers 600 lumens at 11.5-watts input with 90 CRI minimum
- Cost savings of up to 85% compared to 65-watt incandescent fixtures
- 36,000 hours of maintenance-free operation
- 2700K or 3000K color temperatures
- Durable die-cast aluminum construction
- White baffle trim with regressed lens conceals the LEDs
- Rated for use in IC (insulated ceiling) or non-IC housings
- Dimmable to 5% with many incandescent, magnetic low-voltage, or electronic low-voltage wall box dimmers
- Meets IECC Air-Loc® Code requirements
- For use in Wet Location (Indoor covered ceiling only)
- UL and c-UL Classified
- 5-year limited warranty
- ENERGY STAR® Qualified



## Quebec

### Hydro Quebec

Rebate Amount	Rebate Type	Program End Date	Rebate Detail	Rebate Application
See Lighting Form Version 1.6	Application Required	12/1/15	<a href="#">Visit Website</a>	<a href="#">Download Application</a>

This rebate information is being provided as a courtesy to Juno Lighting Group customers and should be used as a guideline only. While Juno Lighting Group has made every attempt to provide accurate rebate information, rebate programs change frequently and as such, Juno Lighting Group cannot be held responsible for the accuracy or completeness of the information provided. Juno Lighting Group is not an intermediary in the rebate transaction. It is the sole responsibility of the person(s) seeking the rebate to validate rebate information including, but not limited to, securement of funds, rebate amount, fund availability, product eligibility, eligible rebate recipients, and program end dates.