



















Pendant Mounting Accessories



	Catalog # T96WH T96BL T96SL NEW	Finish White Black Silver	Description <ul style="list-style-type: none"> Joins pendant stems for use in higher ceiling applications 		Pendant Stem Coupling
	Catalog # T94WH T94BL T94SL NEW	Finish White Black Silver	Description <ul style="list-style-type: none"> Allows T90 or T91 pendant to hang straight down from sloped ceilings Can be used to feed electrical to trac at up to 60° angle 		Pendant Slope Ceiling Adapter
Dimensions  10 1/8"	Catalog # T93WH T93BL T93SL NEW	Finish White Black Silver	Description <ul style="list-style-type: none"> For use with pendant stem kits T90 and T91 Conceals electrical feed wires from stem to connector One cover should be used for each trac feed 		Feed Wireway Cover
	Catalog # T92		Description <ul style="list-style-type: none"> For use with T24 connector when used straight Permits mounting pendant stem kits (T90, T91) at center of trac connector 		Straight Structural Bridge
	Catalog # T92L-WH T92L-BL T92L-SL NEW	Finish White Black Silver	Description <ul style="list-style-type: none"> For use with T24 connector when used at 90° Permits mounting pendant stem kits (T90, T91) at center of trac connector 		Corner Structural Bridge
Dimensions  46 1/2"	Catalog # T39		Description <ul style="list-style-type: none"> 4' long black thermoplastic extrusion, covers wire carried in trac wireway Use one for 4' trac, two for 8' and three for 12' trac Can be field cut 		Trac Wireway Cover

Miscellaneous Mounting Accessories



	Catalog # T56WH T56BL T56SL NEW	Finish White Black Silver	Description <ul style="list-style-type: none"> Attaches solid 5/16" threaded rod to one or two-circuit trac Includes plastic cap, mounting bracket and hardware; rod not supplied 		Solid Rod Pendant Mounting Kit
	Catalog # T37F T37D T37F-9-16 NEW T37TD-9-16 NEW		Description <ul style="list-style-type: none"> To attach trac to inverted tee ceiling Use two for 2' or 4' trac and three for 6', 8' or 12' trac T37F is compatible with 15/16" grid with flush tiles T37D is compatible with 15/16" grid with drop tiles T37F-9-16 is compatible with 9/16" grid with flush tiles T37D-9-16 is compatible with 9/16" grid with drop tiles 		T-Bar Attachment Clip



Miscellaneous Mounting Accessories



 <p>Solid Rod Pendant Mounting Kit</p>	Catalog #	Finish	Description <ul style="list-style-type: none"> Attaches solid 5/16" threaded rod to one- or two-circuit trac Includes: plastic cap, mounting bracket and hardware Rod not supplied 	
	T56WH	White		
	T56BL	Black		
	T56SL	NEW Silver		



 <p>T-Bar Attachment Clip</p>	Catalog #	Description <ul style="list-style-type: none"> To attach trac to inverted tee ceiling Use two for 2' or 4' trac and three for 6', 8' or 12' trac T37F is compatible with 15/16" grid with flush tiles T37D is compatible with 15/16" grid with drop tiles T37F-9-16 is compatible with 9/16" grid with flush tiles T37D-9-16 is compatible with 9/16" grid with drop tiles 	
	T37F		
	T37D		
	T37F-9-16 NEW		
T37D-9-16 NEW			

Miscellaneous Trac Accessories

 <p>Slope Ceiling Fixture Adapter</p>	Catalog #	Finish	Description <ul style="list-style-type: none"> Attaches to trac, permitting Juno line voltage Trac-Master and Trac-Lites Trac fixtures to be hung vertically from sloped ceiling 90° maximum adjustment 	Dimensions
	T95WH	White		 <p>4 3/4" max.</p>
	T95BL	Black		
	T95SL	NEW Silver		

 <p>Pendant Adapter</p>	Catalog #	Finish	Description <ul style="list-style-type: none"> Adapts swag or chain-hung fixture to trac Includes strain relief for 3-wire cord (replaces chain loop) Supports up to 25 lbs Not UL Listed 2.5A max 	Dimensions
	T31WH	White		 <p>2"</p>
	T31BL	Black		
	T31SL	NEW Silver		

 <p>Planter or Utility Hook</p>	Catalog #	Finish	Description <ul style="list-style-type: none"> Supports up to 25 lbs Not UL Listed 	Dimensions
	T32WH	White		 <p>1 1/4"</p>
	T32BL	NEW Black		
	T32SL	NEW Silver		

 <p>Outlet Adapter</p>	Catalog #	Finish	Description <ul style="list-style-type: none"> Provides electrical receptacle Not UL Listed 7A max 	Dimensions
	T33WH	White		 <p>2"</p>
	T33BL	Black		
	T33SL	NEW Silver		

Trac-Master®



Mounting Accessories (cont)



T-Bar Attachment Clip

Catalog # Description

R37F
R37D
R37-9-16 **NEW**


- To attach Trac to inverted tee ceiling
- Use two for 2' or 4' Trac or three for 6' or 8' Trac
- R37F T-Bar Clip is compatible with flush tile 15/16" inverted T-Bar ceiling
- R37D T-Bar Clip is compatible with drop tile 15/16" inverted T-Bar ceiling
- R37-9-16 T-Bar Clip is compatible with drop tile or flush tile 9/16" inverted T-Bar ceiling



Monopoint - Line Voltage

Catalog # Finish
R40WH White
R40BL Black
R40SL **NEW** Silver



- Description**
- Accepts Juno 120V Trac fixtures
 - Mounts directly to outlet box
 - 4 3/4" dia. and 5/8" high



Monopoint - Low Voltage

Catalog # Finish
T58WH White
T58BL Black
T58SL **NEW** Silver

- Description**
- Accepts Juno 12V Trac-Lites™ low voltage trac fixtures and decorative pendants
 - Mounts directly to outlet box
 - 6 1/2" dia. and 1/2" high



Solid Rod Pendant Mounting Kit

Catalog # Finish
T56WH White
T56BL Black
T56SL **NEW** Silver


- Description**
- For 5/16" Rod
 - Attaches solid 5/16" threaded rod to Trac
 - Includes plastic cap, mounting bracket, and hardware
 - Rod not supplied



Fixture Slope Ceiling Adapter

Catalog # Finish
T95WH White
T95BL Black
T95SL **NEW** Silver

- Description**
- Attaches to trac, permitting Juno Trac-Master and Trac-Lites fixtures to be hung vertically from sloped ceiling
 - 90° maximum adjustment



Trac-Lites™

