Project:	
Fixture Type:	
Location:	
Contact/Phone:	

TRAC-LITES™ R600L G2 10W LED DIMMER COMPATIBILITY

DIMMING COMPATIBILITY

Approved Acuity Dimming Systems:

Electronic Low Voltage - Reverse Phase Dimming

- Dimmable using Acuity nLight wired dimming controls, including Fresco controllers, when combined with an nLight nSP5 PCD ELV 120 Secondary Relay and Dimming Pack (required) at the trac input • Dimming range of 100% down to 2% typical* with a minimum load of one fixture and maximum load of 475W @ 120VAC.
- *Typical dimming range based on laboratory evaluation actual installation conditions and results may vary.

Approved Acuity & Non-Acuity Dimming Methods:

Incandescent, Magnetic Low Voltage - Forward Phase Dimming

• Dimmable with the use of most incandescent and magnetic low voltage dimmers • Dimming range of 100% down to 5% or lower with a minimum load of one fixture and a maximum load of 50% of the dimmer rated load (see example); both dimming range and maximum rated load may vary depending on dimmer model.

Example: Typical Fixture Power Consumption = 10W

Dimmer Rating = 600W

Equivalent Incandescent Load (EIL) Factor = 50% (0.50)

 $(600/10) \times 0.50 = 30 \text{ Fixtures per Dimmer}$

Juno Qualified Dimmers include:

Lutron® Model Numbers:

Leviton® Model Numbers:

- Glyder GLV-600
- Diva® DVLV-600P
- Skylark SLV-600P

• SureSlide 6613-PLW

Electronic Low Voltage - Reverse Phase Dimming

- Dimmable with the use of most electronic low voltage dimmers Electronic low voltage dimmers require a neutral wire in the wall box
- Dimming range of 100% down to 20% or lower with a minimum load of one fixture and a maximum load of 75% of the dimmer rated load (see example); both dimming range and maximum rated load may vary depending on dimmer model.

Example: Typical Fixture Power Consumption = 10W

Dimmer Rating = 600W

Equivalent Incandescent Load (EIL) Factor = 75% (0.75)

 $(600/10) \times 0.75 = 45 \text{ Fixtures per Dimmer}$

Juno Qualified Dimmers include:

Acuity Model Numbers:

Lutron® Model Numbers:

Leviton® Model Numbers:

Synergy® ISD 400 ELV 120

• Diva® DVELV 600P

 IllumaTech® IPEO4 Vizia VPE06-1LK

Maestro® MAELV 600

Electronic Low Voltage - Miscellaneous Dimming

Juno Qualified Dimmers include:

Lutron® Model Numbers:

Leviton® Model Numbers:

- RadioRA 2 6D
- RadioRA 2 10ND RadioRA2 RRD-6NA

- SureSlide 6613-PLW
- IllumaTech® IPLO6-10Z

Consult technical services for additional information regarding other dimmer model qualification.