

remodeler

Remodeler LED downlights are a high-end performance solution for adding recessed lighting to a room that previously had none.

remodeler

- \$206 total 5-year savings*
- 12W replaces 75W R30, 20W & 26W replace 100W PAR
- Nanostructure lens for low glare
- UL Listed for wet locations
- Triac & ELV dimmable to 5%**



The LED remodeler provides high-end recessed downlighting with patent-pending design and Absolute White™ optics that make color shifts minimal (warrantied to be less than 200K CCT). A pivot swivel allows for maneuverability and angling, ceiling clamps ensure a secure fit, and a highly efficient nanostructure lens eliminates hot spots.



Ceiling clamps install quicker & more securely than spring forms. Can clamp ceilings up to 1 1/4" thick



Nanostructure lens eliminates "hot spots", and helps provide smooth, uniform light and higher efficiency



Patent-pending wall washer optics focus light where you need it



Patent-pending pivot swivel for wall washer model maneuvers around joists & enables off-axis lighting



Low profile allows for installation in ceilings with limited space



Absolute White™: 3 step consistency and black body accurate. Less than 200K shift warrantied.



Spacing Criteria x Mounting Height = Uniform Light
 50° optics = 0.82 spacing criteria
 80° optics = 1.03 spacing criteria


Remodeler catalog number matrix

Product Family	Housing	Shape	LED Wattage	Driver	Optics	Color Temp	Trim Cone Color	Trim Ring Color
RDLED	4	S	20	L	50	Y	S	B
	4 = 4" 6 = 6"	R = Round S = Square	12 = 12W (4") 20 = 20W (4"/6") 26 = 26W (6")	Blank = Forward Phase Triac Dimmer 120V E = ELV 120-277V Dimmer L = Lutron Dimmer F = On/Off Non-Dimming	50 = 50° 80 = 80° W = Wall washer	YN = 3500K Y = 3000K YY = 2700K	S = Specular Silver M = Matte Silver W = White B = Black	W = White B = Black S = Silver

*\$140 energy costs + \$66 relamping costs = \$206 savings
 **See last page for full list of compatible dimmers.

designer trim ring & cone options

Round



White Ring/Specular Silver Cone



Black Ring/Specular Silver Cone



Silver Ring/Specular Silver Cone




White Ring/Matte Silver Cone



Black Ring/Matte Silver Cone



Silver Ring/Matte Silver Cone



White Ring/Black Cone



Black Ring/Black Cone



Silver Ring/Black Cone



White Ring/White Cone



Black Ring/White Cone



Silver Ring/White Cone

Square



White Ring/Specular Silver Cone



Black Ring/Specular Silver Cone



Silver Ring/Specular Silver Cone



White Ring/Matte Silver Cone



Black Ring/Matte Silver Cone



Silver Ring/Matte Silver Cone



White Ring/Black Cone



Black Ring/Black Cone



Silver Ring/Black Cone



White Ring/White Cone



Black Ring/White Cone



Silver Ring/White Cone

dimmer compatibility

retrofit

BRAND	MODEL	DIMMER TYPE	DLED4 (8W)			DLED6 (12W)		
			COMPATIBLE	MEASURED LIGHT OUTPUT RANGE	MINIMUM FIXTURES PER DIMMER	COMPATIBLE	MEASURED LIGHT OUTPUT RANGE	MINIMUM FIXTURES PER DIMMER
PASS & SEYMOUR	D703PWW	TRIAC	✓	100-5%	1	✓	100-2%	4
LUTRON	DIVA DV-603P	TRIAC	✓	100-5%	1	✓	100-2%	4
LUTRON	SKYLARK S-600P	TRIAC	✓	100-5%	1	✓	100-2%	4
LUTRON	SKYLARK SELV-300P	ELV	✓	100-5%	1	✓	100-2%	4
LEVITON	DECORA 6674-P	TRIAC	✓	100-5%	1	✓	100-2%	4
LUTRON	SKYLARK CTCL-153P*	TRIAC	✓	100-5%	1	✓	100-2%	4
LEVITON	DECORA IPL06-10Z	TRIAC	✓	100-5%	1	✓	100-2%	4
LEVITON	DECORA 6631-P	TRIAC	✓	100-5%	1	✓	100-2%	4
LEVITON	DECORA IPL06-1LZ	TRIAC	✓	100-5%	1	✓	100-2%	4
LUTRON	SKYLARK SLV-600P	MLV	✓	100-5%	1	✓	100-2%	4
LUTRON	RADIO RA2 RRD-6D	TRIAC	—	100-5%	1	—	100-2%	4
LUTRON	DIVA DV-600P	TRIAC	✓	100-5%	1	✓	100-2%	4
LUTRON	DIVA DVELV-300P	ELV	✓	100-5%	1	—	100-2%	4
LUTRON	DIVA DVLV-600P	MLV	✓	100-5%	1	—	100-2%	4
LUTRON	DIVA CL DVCL-153P*	TRIAC	✓	100-5%	1	—	100-2%	4
LUTRON	MAESTRO MRF2-6ND-120	TRIAC	✓	100-5%	1	✓	100-2%	4
LUTRON	LUMEA LG-600P	TRIAC	—	100-5%	1			

✓ COMPATIBLE

— INCOMPATIBLE

* BOTTOM TRIM

remodeler and new construction

BRAND	MODEL	DIMMER TYPE	ELV 12W DRIVER			ELV 20W DRIVER			ELV 26W DRIVER			TRIAC 12W DRIVER			TRIAC 20W DRIVER		
			COMPATIBLE	MEASURED LIGHT OUTPUT RANGE	MINIMUM FIXTURES PER DIMMER	COMPATIBLE	MEASURED LIGHT OUTPUT RANGE	MINIMUM FIXTURES PER DIMMER	COMPATIBLE	MEASURED LIGHT OUTPUT RANGE	MINIMUM FIXTURES PER DIMMER	COMPATIBLE	MEASURED LIGHT OUTPUT RANGE	MINIMUM FIXTURES PER DIMMER	COMPATIBLE	MEASURED LIGHT OUTPUT RANGE	MINIMUM FIXTURES PER DIMMER
PASS & SEYMOUR	D703PWW	TRIAC	—	100-5%	1	✓	100-2%	4	✓	100-5%	1		100-10%	4		100-10%	4
LUTRON	DIVA DV-603P	TRIAC	—	100-5%	1	✓	100-2%	4	✓	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	SKYLARK S-600P	TRIAC	—	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	SKYLARK SELV-300P	ELV	✓	100-5%	1	✓	100-2%	4	✓	100-5%	1	✓	100-10%	1	✓	100-10%	1
LEVITON	DECORA 6674-P	TRIAC	✓	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	SKYLARK CTCL-153P*	TRIAC	✓	100-5%	1	✓	100-2%	4	✓	100-5%	1	✓	100-10%	1	✓	100-10%	1
LEVITON	DECORA IPL06-10Z	TRIAC	✓	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	✓	100-10%	1
LEVITON	DECORA 6631-P	TRIAC	—	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	—	100-10%	1
LEVITON	DECORA IPL06-1LZ	TRIAC	—	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	SKYLARK SLV-600P	MLV	✓	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	RADIO RA2 RRD-6D	TRIAC	—	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	—	100-10%	1
LUTRON	DIVA DV-600P	TRIAC	—	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	—	100-10%	1
LUTRON	DIVA DVELV-300P	ELV	✓	100-5%	1	✓	100-2%	4	✓	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	DIVA DVLV-600P	MLV	✓	100-5%	1	—	100-2%	4	—	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	DIVA CL DVCL-153P*	TRIAC	✓	100-5%	1	✓	100-2%	4	✓	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	MAESTRO MRF2-6ND-120	TRIAC	—	100-5%	1	✓	100-2%	4	✓	100-5%	1	✓	100-10%	1	✓	100-10%	1
LUTRON	LUMEA LG-600P	TRIAC		100-5%	1		100-2%	4		100-5%	1	✓	100-10%	1	✓	100-10%	1