WAC LIGHTING

Manhattan

Wall Sconce 2700K

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-13107 7"	2700K 90	AB Aged Brass BK Black BN Brushed Nickel BO Brushed Bronze	5.5W 6W	439 284	238 168 110	Yes

Example: WS-13107-BO

•For 277V special order, add an "F" before the finish: WS-13107F-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Sophisticated refinement. Tailored and bespoke.

FEATURES

- Trimless fabric shade illuminates evenly
- Etched glass diffuser on the top and below
- Urban elegance and LED illumination softened with a fabric shade.
- Title 24 may not be available for all finishes, check for availability
- Transformer option for non-Title 24 fixture only
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700К
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL,Title 24 JA8-2019 Compliant
	Dry Location Listed
Construction:	Aluminum hardware with fabric diffuser and etched glass,Aluminum body, fabric diffuser




FINISH	IES:				
Black	Brushed Nickel	Brushed Bronze	Aged Brass		
LINE DI	RAWING:				

REPLACEMENT PARTS

RPL-SHA-13107-01 - 7" shade RPL-GLA-13107-01 - Bottom glass RPL-GLA-13107-02 - Outer glass

RPL-SHA-13107-02 - 7" shade for BK finish



WS-13107

* * *

WAC LIGHTING

Manhattan

Wall Sconce 2700K

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-13115 15"	2700K 90	BK Black BN Brushed Nickel BO Brushed Bronze	10W 10.5W	842 566	317 250	Yes

Example: WS-13115-BO

•For 277V special order, add an "F" before the finish: WS-13115F-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Sophisticated refinement. Tailored and bespoke.

FEATURES

- Trimless fabric shade illuminates evenly
- Etched glass diffuser on the top and below
- Urban elegance and LED illumination softened with a fabric shade.
- Title 24 may not be available for all finishes, check for availability
- Transformer option for non-Title 24 fixture only
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700К
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Standards:	ETL, cETL,Title 24 JA8-2019 Compliant
	Dry Location Listed
Construction:	Aluminum hardware with fabric diffuser and etched glass,Aluminum body, fabric diffuser




FINISHES:



LINE DRAWING:



- RPL-SHA-13115-01 15" shade RPL-GLA-13115-01 - Bottom glass
- RPL-GLA-13115-02 Outer glass
- RPL-SHA-13115-02 15" shade for BK finish



WS-13115

WAC LIGHTING

Manhattan

Wall Sconce 2700K

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-13122 22"	2700K 90	BKBlackBNBrushed NickelBOBrushed Bronze	16W 15.5W	1268 851	527 365	Yes

Example: WS-13122-BO

•For 277V special order, add an "F" before the finish: WS-13122F-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Sophisticated refinement. Tailored and bespoke.

FEATURES

- Trimless fabric shade illuminates evenly
- Etched glass diffuser on the top and below
- Urban elegance and LED illumination softened with a fabric shade.
- Title 24 may not be available for all finishes, check for availability
- Transformer option for non-Title 24 fixture only
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700К
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Standards:	ETL, cETL,Title 24 JA8-2019 Compliant
	Dry Location Listed
Construction:	Aluminum body, fabric diffuser,Aluminum hardware with fabric diffuser and etched glass




FINISHES:



LINE DRAWING:

REPLACEMENT PARTS

- RPL-SHA-13122-01 22" shade RPL-GLA-13122-01 - Bottom glass RPL-GLA-13122-02 - Outer glass
- RPL-SHA-13122-02 22" shade for BK finish



WS-13122