




From
Standard
to **Smart:**

*A Full Spectrum of
Residential Lighting
Controls*

designed to be better.®



The right lighting controls will transform a home, improving how it functions, feels and looks...

Creating ambiance and adjusting light levels to fit any mood with dimming control.



Reducing energy waste by as much as 70% with sensors and timers that turn lights off automatically.



Adding comfort, safety and convenience with design-inspired smart devices that provide control from anywhere.



Legrand makes selecting, installing and using the right lighting controls simple with a full spectrum of versatile solutions engineered to meet any need. Available with a range of control interfaces, like the ergonomic toggle slide and our uniquely modern sofTap® devices, we offer options – from standard to smart – to fit every load, every preference, every style.

FEATURED SOLUTIONS

LED/CFL Dimmers	3
0-10V LED/Fluorescent Dimmers	4
Tru-Universal Dimmers.....	5
Smart Dimmers	6
Sensors and Timers.....	8
Fan Speed Controls.....	9

ALL LIGHTING CONTROL SOLUTIONS

Standard.....	10
Designer.....	14
Smart	16





LED/CFL Dimmers

Thanks to innate energy-efficiency and longevity, LED technology is the hero of modern dimming. Legrand provides control that's tailored to both the needs and advantages of LED lighting through our range of easy and reliable LED/CFL (120V) dimmers, available across six user-friendly interfaces.

Toggle Slide LED/CFL Dimmer <i>TSDCL303PW</i> <i>TSDSSL7APW</i>	Wide Slide LED/CFL Pre-Set Dimmer <i>WSCL453PW</i>	Long Slide LED/CFL Pre-Set Dimmer <i>LSCL453PW</i>	Deco Rotary LED/CFL Dimmer <i>DRCL453PW</i>	radiant® LED/CFL Dimmers <i>RHCL453PW</i> <i>RHL743PW</i> <i>RHL373PW</i>	adore® LED/CFL Dimmer <i>ADPD453LW2</i>







Colors

White	Ivory	Light Almond	Gray	Brown	Black
Nickel	Dark Bronze	Graphite	Magnesium	Red	Tri-Color



0-10V LED/Fluorescent Dimmers

Controlling the light level of compatible fixtures through DC voltage, 0-10V Dimmers can offer the simplest and smoothest lighting control experience with plenty of energy-saving potential. Available models feature multiple interfaces, including three unique designer options from the *adorne*® Collection.

					
Toggle Slide 0-10V Dimmer <i>TSD4FBL3PW</i>	Wide Slide 0-10V Dimmer <i>WS4FBL3PW</i>	radiant® 0-10V Dimmer <i>RH4FBL3PW</i>	adorne® 0-10V Paddle Dimmer <i>ADPD4FBL3P2W4</i>	adorne® 0-10V sofTap Dimmer <i>ADTP4FBL3PW4</i>	adorne® 0-10V Touch Dimmer <i>ADTH4FBL3PW4</i>

Colors



White



Ivory



Light Almond



Gray



Brown



Black



Nickel



Dark Bronze



Graphite



Magnesium



Red



Tri-Color




Tru-Universal Dimmers

Devised to take the guesswork out of compatibility and the flicker out of performance, Legrand's Tru-Universal Dimmers self-calibrate to work with virtually any 120V dimmable bulb or fixture (excludes 0-10V). Usable with LED, fluorescent, incandescent, MLV and ELV loads, as well as for forward- and reverse-phase dimming, the only decision required is which interface to choose.

Toggle Slide Tru-Universal Dimmer <i>TSD703PTUW</i>	radiant® Tru-Universal Dimmer <i>RH703PTUW</i>	adorne® softTap Tru-Universal Dimmer <i>ADTP703TUW4</i>	adorne® Touch Tru-Universal Dimmer <i>ADTH703TUW4</i>	adorne® Whisper Tru-Universal Dimmer <i>ADWR703TUW4</i>


Colors





adorne[®] and radiant[®] with Netatmo

Taking features and flexibility to another level, Smart Lighting with Netatmo grants advanced control of lights and power from anywhere. The solution starts with a Smart Gateway to establish its dedicated network and features a variety of smart dimmers, switches and outlets to fit any home's unique needs. An intuitive app and easy compatibility with other smart products then work to deliver benefits like customized lighting scenes and schedules, energy monitoring and management, voice command and more.







WANT TO LEARN MORE ABOUT NETATMO?

Learn more about our Smart Lighting with Netatmo platform, its ultra-reliable performance and all your smart devices options at legrand.us/netatmo.

Smart Gateways with Netatmo


Creating an ultra-reliable mesh network that strengthens with every device added, just one Smart Gateway (in-wall or surface-mount) can support up to 98 smart switches, dimmers and outlets in a single installation. Mix and match smart devices from both the *adorne*® and *radiant*® Collections to create a perfectly personalized whole-home solution.

			
radiant® WNRH1WH	radiant® Surface-Mount WNRH2WH	adorne® WNAH1W1	adorne® Surface-Mount WNAH2W1

Smart Tru-Universal Dimmers with Netatmo



Leading smart home technology and versatile dimming compatibility converge in our selection of Smart Tru-Universal Dimmers with Netatmo.

Available from both designer Collections, as well as in a convenient Plug-In version for smart control of dimmable floor and table lamps.

		
radiant® WNRL50WH	adorne® sofTap WNAL50W1	Plug-In WNP20

Wireless Smart Dimmers with Netatmo

Made for adding 3-way control anywhere and everywhere it's wanted, these wireless smart dimmers mount to a wall or surface with provided adhesive – no wiring, no cutting, no tools required. Must be paired with a Smart Tru-Universal Dimmer with Netatmo.

	
radiant® WNRL63WH	adorne® WNAL63W1






Colors

















Sensors and Timers

Saving energy is easiest when the lights turn off on their own. So whether it's auto on/off (occupancy sensors), manual on/auto off (vacancy sensors) or manual on/timed off (timers), these lighting controls from Legrand's designer collections offer eco-friendly efficiency, as well as convenience, in style.

				
radiant® Occupancy/ Vacancy Sensors <i>RRW600UTC</i> <i>RRW600VTC</i>	radiant® 4-Button Timer Switch <i>RT2W</i>	adorne® Occupancy/ Vacancy Sensors <i>ASOS32W4</i> <i>ASVS12W4</i>	adorne® Sensor with Incandescent Dimmer <i>ADSM703HW2</i>	adorne® 4-Button Timer Switch <i>ASTM2W2</i>

Sensors can be used to comply with Title 24 efficiency standards.

Colors

					
White	Ivory	Light Almond	Gray	Brown	Black
					
Nickel	Dark Bronze	Graphite	Magnesium	Red	Tri-Color




Fan Speed Controls

For those who need to control more than just the lights, Legrand offers fan speed solutions that match the ease, convenience and aesthetics of our other devices. Available in seven attractive interfaces, including options with de-humming for quieter control.

Toggle Slide <i>TSDDH163PW</i>	Wide Slide <i>WSSC53PW</i> <i>WSDH16W</i>	Long Slide <i>LSSC5W</i> <i>LSSC5PW</i> <i>LSDH16WV</i> <i>LSDC16WV</i> <i>LSDC163PWV</i> <i>LSCLDC163PW</i>	Deco Rotary <i>DRSC53PW</i> <i>DRDH163PW</i>	Decorator <i>HSWF3W</i> <i>HSWC3W</i>	radiant* <i>RHDH163PW</i>	adorne* <i>AAFN4S16AW4</i>

Colors





Toggle Slide

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
TSD703PTU*	Tru-Universal Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 450W LED/CFL; 700W ELV/INC/HAL; 500VA MLV; 5.5A EFL	Y
TSDCL303P*	LED/CFL/Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 300W LED/CFL; 700W INC/HAL	
TSDSSL7AP*	LED SSL7A-Compliant Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 250W LED/CFL; 300W INC/HAL	
TSD4FBL3P*	0-10V LED/Fluorescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120/277V (0-10V dimming only) 120V 10A / 277V 5A 0-10V LED/FL	
TSDDH163P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 1.6A Fan Speed Control	
TSDFB83P*	Fluorescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 8A EFL	
TSDLV703P*	Magnetic Low Voltage Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 700VA MLV	
TSDLV1103P*	Magnetic Low Voltage Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 1100VA MLV	
TSD703P*	Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 700W INC/HAL	
TSD1103P*	Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 1100W INC/HAL	
TSD2KIT*	Interchangeable Faceplate	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)		



Wide Slide

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
WSCL453P*	LED/CFL Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL	
WSCL450*	LED/CFL Dimmer, Single-Pole, Non-Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL	
WS4FBL3P*	0-10V LED/Fluorescent Dimmer with Integrated Power Pack, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
WSSC53P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 5A Fan Speed Control	
WSDH16*	Fan Speed Control and De-Hummer, Single-Pole, Non-Preset	White (W), Tri-Color (TC)	120V 1.6A Fan Speed Control	
WSLV700*	Magnetic Low Voltage Dimmer, Single-Pole, Non-Preset	White (W), Tri-Color (TC)	120V 700VA MLV	
WSLV703P*	Magnetic Low Voltage Dimmer, Single-Pole /3-Way, Preset	White (W), Tri-Color (TC)	120V 700VA MLV	
WS1100*	Incandescent Dimmer, Single-Pole, Non-Preset	White (W), Tri-Color (TC)	120V 1100W INC/HAL	
WS1103P*	Incandescent Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 1100W INC/HAL	
WS700*	Incandescent Dimmer, Single-Pole, Non-Preset	White (W), Tri-Color	120V 700W INC/HAL	
WS703P*	Incandescent Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 1100W INC/HAL	
WSKIT*	Interchangeable Faceplate (for Non-Preset Devices)	Black (BK), Brown (-)		
WSKITP*	Interchangeable Faceplate	Black (BK), Brown (-), Ivory (I), Light Almond (LA)		

Note: Tri-Color devices ship with interchangeable faceplates in Ivory, Light Almond and White.



Long Slide

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
LSCL453P*	LED/CFL/Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), White (W)	120V 450W LED/CFL; 700W INC/HAL	
LSCL450*	LED/CFL/Incandescent Dimmer, Single-Pole, Non-Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), White (W)	120V 450W LED/CFL; 700W INC/HAL	
LSCLDC163P*	LED/CFL/Incandescent Dimmer with Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 150W LED/CFL; 300W INC/HAL 1.6A Fan Speed Control	
LSDC16*V	Fan Speed Control and De-Hummer with Dimmer, Single-Pole, Non-Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 300W INC/HAL 1.6A Fan Speed Control	
LSDC163P*V	Fan Speed Control and De-Hummer with Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 300W INC/HAL 1.6A Fan Speed Control	
LSDH16*V	Fan Speed Control and De-Hummer, Single-Pole, Non-Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 1.6A Fan Speed Control	
LSSC5*	Fan Speed Control, Single-Pole, Non-Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 5A Fan Speed Control	
LSSC5P*	Fan Speed Control, Single-Pole/3-way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 5A Fan Speed Control	
LSLV600*	Magnetic Low Voltage Dimmer, Single-Pole, Non-Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 600VA MLV	
LSLV600P*	Magnetic Low Voltage Dimmer, Single-Pole, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 600VA MLV	
LSLV603P*	Magnetic Low Voltage Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 600VA MLV	
LS600*	Incandescent Dimmer, Single-Pole, Non-Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 600W INC/HAL	
LS600P*	Incandescent Dimmer, Single-Pole, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 600W INC/HAL	
LS603P*	Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 600W INC/HAL	



Deco Rotary

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
DRCL453P*	LED/CFL/Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 450W LED/CFL; 700W INC/HAL	
DRDH163P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 1.6A Fan Speed Control	
DRSC53P*V	Fan Speed Control, Single-Pole/3-Way, Continuously Variable, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 5A Fan Speed Control	
DR703P*V	Incandescent Dimmer with Pilot Light, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 700W INC/HAL	



Decorator

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
HSWF3*	Humidity-Based Fan Control, Single-Pole	Light Almond (LA), White (W)	120V 6A Fan Speed Control	
HSWC3*	Humidity-Based Fan Control and Switch, Single-Pole	Light Almond (LA), White (W)	120V 150W LED/CFL; 600W INC/HAL; 400W EFL 6A Fan Speed Control	




Designer the radiant® collection

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
RH703PTU*	Tru-Universal Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
RHCL453P*	LED/CFL/Incandescent Dimmer, Single-Pole/3-Way, Preset	Dark Bronze (DB), Graphite (G), Nickel (NI), White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL	
RHL743P*	LED/CFL/Incandescent Dimmer, SSL7A Compliant, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL	Y
RHL373P*	LED 2-Wire Dimmer, SSL7A Compliant, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 250W LED/CFL; 300W INC/HAL	
RH4FBL3P*	0-10V LED/Fluorescent Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
RRW600V*	Vacancy Sensor, Single-Pole	Tri-Color (TC)	120V 600W, 1/6 HP	
RRW600U*	Occupancy Sensor, Single-Pole/3-Way	Bi-Color (BC), Tri-Color (TC)	120V 600W, 1/6 HP	
RT2*	4-Button Timer Switch, Single-Pole/3-Way	Black (BK), Dark Bronze (DB), Ivory (I), Light Almond (LA), Nickel (NI), White (W)	120V 600W, 1/6 HP	Y
RHDH163P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Bi-Color (BC), White (W), Tri-Color (TC)	120V 1.6A Fan Speed Control	
RHFB83P*	Fluorescent 2-Wire Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 8A EFL	
RHLV703P*	Magnetic Low Voltage Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 700VA MLV	
RHLV1103P*	Magnetic Low Voltage Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 1100VA MLV	
RH703P*	Incandescent Dimmer, Single-Pole/3-Way, Preset	Dark Bronze (DB), Nickel (NI), White (W), Tri-Color (TC)	120V 700W INC/HAL	
RH1103P*	Incandescent Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 1100W INC/HAL	
HCL453PMM*	Multi-Location Master Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL; 700VA MLV	
HMR*	Multi-Location Remote Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V	
HDH163PMM*	Multi-Location Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	White (W)	120V 1.6A Fan Speed Control	Y
RHKIT*	Interchangeable Faceplate	Black (BK), Brown (-), Dark Bronze (DB), Graphite (G), Gray (GRY), Ivory (I), Light Almond (LA), Nickel (NI), Red (RED), White (W)		

Note: Bi-Color devices ship with interchangeable faceplates in Dark Bronze and Nickel. Tri-Color devices ship with interchangeable faceplates in Ivory, Light Almond and White.

Designer the adorne® collection




PADDLE



SOFTAP®



TOUCH



WHISPER®

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
------------------	---------------------	--	--------------------	----------------

PADDLE

ADPD453L*	LED/CFL/ Incandescent Dimmer, Single-Pole/3-Way	Magnesium (M2), Graphite (G2), White (W2)	120V 450W LED/CFL; 700W INC/HAL	
ADPD4FBL3P2*	0-10V LED/ Fluorescent Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
AAFN4S16A*	Fan Speed Control and De-Hummer	Magnesium (M2), Graphite (G2), White (W2)	120V 1.6A Fan Speed Control	

SOFTAP

ADTP703TU*	Tru-Universal Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
ADTP4FBL3P*	0-10V LED/ Fluorescent Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
ASVS12*	Vacancy Sensor (Manual On/Auto Off)	Magnesium (M4), Graphite (G4), White (W4)	120V 600W, 1/6HP	
ASOS32*	Occupancy Sensor (Auto On/Auto Off)	Magnesium (M4), Graphite (G4), White (W4)	120V 600W, 1/6HP	
ADSM703H*	Occupancy Sensor with Incandescent Dimmer (Auto On/ Auto Off), 700W	Magnesium (M2), Graphite (G2), White (W2)	120V 700W INC/HAL	
ASTM2*	Timer Switch (Manual On/Timed Off)	Magnesium (M2), Graphite (G2), White (W2)	120V 600W, 1/6HP	

TOUCH

ADTH703TU*	Tru-Universal Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
ADTH4FBL3P*	0-10V LED/ Fluorescent Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	

WHISPER

ADWR703TU*	Tru-Universal Dimmer	Magnesium (M4), Graphite (G4), White (W4)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
-------------------	----------------------	---	--	---



Smart the radiant® collection

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
WNRH1*	Smart Gateway with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
WNRH2*	Smart Surface-Mount Gateway with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
WNRL10*	Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	15A, 120V	Y
WNRL50*	Smart Tru-Universal Dimmer with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
WNRL23*	Wireless Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)		
WNRL63*	Wireless Smart Dimmer with Netatmo	Light Almond (LA), Nickel (NI), White (WH)		
WNRL33*	Home/Away Wireless Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)		
WNRL43*	Wake/Sleep Wireless Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)		
WNRR15*	Smart 15A Outlet with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	15A, 125V	Y
WNRR20*	Smart 20A Outlet with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	20A, 125V	Y
WNP10	Smart Plug-In Switch with Netatmo	White	120V	
WNP20	Smart Plug-In Tru-Universal Dimmer with Netatmo	White	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	



Smart the adorne® collection

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
WNAH1*	Smart Gateway with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
WNAH2*	Smart Surface-Mount Gateway with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
WNAL10*	Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	15A, 120V	Y
WNAL50*	Smart Tru-Universal Dimmer with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
WNAL23*	Wireless Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)		
WNAL63*	Wireless Smart Dimmer with Netatmo	Magnesium (M1), Graphite (G1), White (W1)		
WNAL33*	Home/Away Wireless Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)		
WNAL43*	Wake/Sleep Wireless Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)		
WNAR153*	Smart 15A Outlet with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	15A, 125V	Y
WNAR203*	Smart 20A Outlet with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	20A, 125V	Y
WNP10	Smart Plug-In Switch with Netatmo	White	120V	
WNP20	Smart Plug-In Tru-Universal Dimmer with Netatmo	White	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	

designed to be better.



Electrical Wiring Systems
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND [295.3472]
www.legrand.us

